

Iwaki Aquatic

DOUBLE ZEBRAFISH

System





Double System Features

- Available in side-by-side, back-to back, and L-shaped configurations
- All systems feature constant flow technology with lwaki Aquatic pumps that are speed controlled based on system pressure to maintain constant flow to the fish holding tanks
- Powder coated aluminum racks with leveling feet
- Open shelving provides easy access to tanks, water feed, and drain manifolds
- Available shelf spacing options for various clearances above holding tanks
- Modular rack design allows additional tank holding levels to be added to the top of the rack and allows the rack system to be easily reconfigured as your lab needs change
- System plumbing is designed with unions in strategic locations so the entire system can be easily disassembled for cleaning
- Titanium heater standard for 5C heat-up with titanium chiller options

Filtration System

- Low maintenance oversized moving bed biofilter
- Stainless steel UV unit
- Large capacity 50-micron cartridge filters
- Large capacity activated carbon filters
- Submerged 200 micron pre-filter bags

LAGREED®

Side-by-Side 5-Shelf Configuration



Back-to-Back 6-Shelf Configuration



Easy access to all components including UV, titanium heater, pumps and web enabled controller

Innovative Tank Design

- 2 liter, 4.5 liter, and 9 liter polycarbonate tanks
- Innovative adult baffle design with vertical tube that provides self-cleaning flow for the removal of settleable solids.
- Tank and rack combine to create 5-degree slope towards tank vertical tube drain for improved solids removal efficiency
- Locking lid ensures proper placement, security and prevents fish escape
- Three-piece tank assembly (tank, lid, and baffle) are autoclavable and easy to clean with no recesses or complicated parts
- Larval baffles are color coded for easy identification of the 400, 700, and 1000 micron sizes. Tanks include two slots for larval baffle placement







Iwaki Aquatic Life Support Controller



- Monitor and control your system remotely with any internet ready device and our powerful cloud based software platform
- Sends email or SMS text alerts when parameters are out of range
- Chart/graph water quality parameters over time. Up to 90 days with 15 minute sampling intervals
- Standard with pH, temperature, conductivity sensors and dosing control
- System includes level and flow sensors for safety and shut-down of electrical components in the event of a low water or low flow situation

Specifications



ITS-Z DOUBLE 5 or 6 SHELF SIDE-BY-SIDE SYSTEM					
Tank Options	2 Liter	4.5 Liter	9 Liter		
Tank Quantity	160	80	40		
Zebrafish Capacity @ 10 Fish/Liter	3,200	3,600	3,600		
Total System Volume (Liters)	470	510	510		
Total Tank Volume (Liters)	320	360	360		
Turnover Rate per Hour	6				
UV Dose Rate uW-sec/cm2 (*EOLL 12 Months)	120,000				
Mechanical Filter, 50 Micron	2.6 m2				
Activated Carbon Filter	1,200 grams				
	Width	Depth	Height		
System Dimensions, Centimenters	361	36	203-231**		
System Dimensions, Inches	142	14	80-91**		
Operating Weight with 4.5L or 9L Tanks	790 Kg, 1,741 Lbs				
Voltage/Hertz/Amps with Heater	120/60/20 or 230/50/10				

ITS-Z DOUBLE 5 and 6 SHELF BACK-to-BACK SYSTEM				
Tank Options	2 Liter	4.5 Liter	9 Liter	
Tank Quantity	192	96	48	
Zebrafish Capacity @ 10 Fish/Liter	3,840	4,320	4,320	
Total System Volume (Liters)	534	582	582	
Total Tank Volume (Liters)	384	432	432	
Turnover Rate per Hour	6			
UV Dose Rate uW-sec/cm2 (*EOLL 12 Months)	110,000			
Mechanical Filter, 50 Micron	1.85 m2			
Activated Carbon Filter	600 grams			
	Width	Depth	Height	
System Dimensions, Centimenters	201	73	229-259**	
System Dimensions, Inches	79	28.5	90-102**	
Operating Weight with 4.5L or 9L Tanks	870 Kg, 1,918 Lbs			
Voltage/Hertz/Amps with Heater	120/60/16 or 230/50/8			

Notes:

 $4.5 L \ and \ 9 L \ tanks \ can \ be \ mixed \ on \ a \ shelf. \ 2 L \ tanks \ use \ a \ 16 \ outlet \ manifold, \\ 4.5 / 9 L \ tanks \ use \ an \ 8 \ outlet \ manifold$

* EOLL- end of lamp life

ABOUT IWAKI AQUATIC

**Overall height depends on shelf spacing selected

Iwaki Aquatic was established as a division of Iwaki America in 2016 to support the aquatic research community. Iwaki Aquatic's mission is to build quality aquatic research systems that are extremely reliable and easy to both use and maintain. Our 60+ years of experience in designing and building controllers and pumps for global water treatment applications, position us as the leader in both technology and value. Our aquatic team includes aquaculture specialists, biologists, engineers and customer service experts with many years of experience supporting aquatic research systems. Our standard aquaria rack systems are designed specifically for the African Clawed Frog Xenopus spp. and Zebrafish Daniorerio, but over the years our experts have designed and built custom systems for over 150 different aquatic organisms.

No project is too big or too small. Contact us today to start your project! ISO 9001 registered company

IALT-00490 Sept 2023

MADE IN